

What is claimed is:

1 1(currently amended). A support for a shower head, comprising:
2 a mounting fixture for mounting the support such that the support is
3 adjustable,
4 an arm jutting out of the mounting fixture,
5 a receptacle ~~for~~ for a shower head arranged in the vicinity of ~~a~~ the far
6 end of the arm **away from the mounting fixture, which receptacle is**
7 **configured such that the shower head is detachable from said**
8 **receptacle, and**
9 at least one additional shower fixture attached to the arm,
10 **wherein the shower head is supplied with water by a hose and**
11 **wherein the additional shower fixture is arranged to be supplied with**
12 **water independently of the shower head.**

Claim 2 is canceled.

1 3(currently amended). **The [A]** shower support according to claim
2 1, **wherein having a channel extends passing through the arm and leads**
3 **leading to the additional shower fixture.**

1 4(currently amended). **The [A]** shower support according to claim
2 1, wherein the arm comprises a length of hollow, profiled stock, at least from
3 the mounting fixture to the additional shower fixture.

1 5(currently amended). **The [A]** shower support according to claim
2 1, wherein the additional shower fixture is arranged between the mounting
3 fixture and the far end of the arm.

1 6(currently amended). **The [A]** shower support according to claim
2 1, wherein a direction of a jet exiting the additional shower fixture is adjustable.

1 7(currently amended). **The [A]** shower support according to claim
2 1, wherein the additional shower fixture is mounted on a side of the arm jutting
3 from the mounting fixture.

1 8(currently amended). **The [A]** shower support according to claim
2 1, wherein at least one said additional shower fixture is mounted on a
3 underside of the arm jutting from the mounting fixture.

1 9(currently amended). **The [A]** shower support according to claim
2 1, having several additional said shower fixtures and a water-supply conduit
3 common to all the additional shower fixtures.

1 10(currently amended). **The [A]** shower support according to claim
2 1, wherein the additional shower fixture is nondetachable.

Claim 11 is canceled.

1 12(currently amended). **The [A]** shower support according to claim
2 1, wherein the arm is pivotable relative to the mounting fixture about a
3 horizontal axis orthogonal to a longitudinal axis of the arm, ~~on a linkage on the~~
4 ~~mounting fixture~~.

5 13(currently amended). **The [A]** shower support according to claim
6 12, wherein ~~a~~ the water conduit passes a pivotable connection of the arm to
7 the mounting fixture ~~through the linkage~~.

1 14(currently amended). **The [A]** shower support according to claim
2 1, wherein the arm is configured in the form of a fork.

1 15(currently amended). The [A] shower support according to claim
2 14, wherein the additional shower fixtures are arranged on outer faces of tines
3 of the fork.

Claims 16 and 17 are canceled.